

```
#11 /app/www/public/3rdparty/pimple/pimple/src/Pimple/Container.php(122): OC\
AppFramework\Utility\SimpleContainer->OC\AppFramework\Utility\{closure}()
#12 /app/www/public/lib/private/AppFramework/Utility/SimpleContainer.php(138):
Pimple\Container->offsetGet()
#13 /app/www/public/lib/private/ServerContainer.php(171): OC\AppFramework\
Utility\SimpleContainer->query()
#14 /app/www/public/lib/private/AppFramework/Utility/SimpleContainer.php(65):
OC\ServerContainer->query()
#15 /app/www/public/lib/private/AppFramework/Utility/SimpleContainer.php(193):
OC\AppFramework\Utility\SimpleContainer->get()
#16 /app/www/public/lib/private/AppFramework/Utility/SimpleContainer.php(171):
OC\AppFramework\Utility\SimpleContainer->OC\AppFramework\Utility\{closure}()
#17 /app/www/public/3rdparty/pimple/pimple/src/Pimple/Container.php(118): OC\
AppFramework\Utility\SimpleContainer->OC\AppFramework\Utility\{closure}()
#18 /app/www/public/lib/private/AppFramework/Utility/SimpleContainer.php(138):
Pimple\Container->offsetGet()
#19 /app/www/public/lib/private/ServerContainer.php(171): OC\AppFramework\
Utility\SimpleContainer->query()
#20 /app/www/public/lib/private/AppFramework/Utility/SimpleContainer.php(65):
OC\ServerContainer->query()
#21 /app/www/public/lib/private/Server.php(1130): OC\AppFramework\Utility\
SimpleContainer->get()
#22 /app/www/public/lib/private/AppFramework/Utility/SimpleContainer.php(171):
OC\Server->OC\{closure}()
#23 /app/www/public/3rdparty/pimple/pimple/src/Pimple/Container.php(122): OC\
AppFramework\Utility\SimpleContainer->OC\AppFramework\Utility\{closure}()
#24 /app/www/public/lib/private/AppFramework/Utility/SimpleContainer.php(138):
Pimple\Container->offsetGet()
#25 /app/www/public/lib/private/ServerContainer.php(171): OC\AppFramework\
Utility\SimpleContainer->query()
#26 /app/www/public/lib/private/AppFramework/Utility/SimpleContainer.php(65):
OC\ServerContainer->query()
#27 /app/www/public/lib/private/Server.php(2088): OC\AppFramework\Utility\
SimpleContainer->get()
#28 /app/www/public/lib/private/Files/View.php(107): OC\Server-
>getLockingProvider()
#29 /app/www/public/lib/private/Server.php(470): OC\Files\View->__construct()
#30 /app/www/public/lib/private/AppFramework/Utility/SimpleContainer.php(171):
OC\Server->OC\{closure}()
#31 /app/www/public/3rdparty/pimple/pimple/src/Pimple/Container.php(122): OC\
AppFramework\Utility\SimpleContainer->OC\AppFramework\Utility\{closure}()
#32 /app/www/public/lib/private/AppFramework/Utility/SimpleContainer.php(138):
Pimple\Container->offsetGet()
#33 /app/www/public/lib/private/ServerContainer.php(171): OC\AppFramework\
Utility\SimpleContainer->query()
#34 /app/www/public/lib/private/AppFramework/Utility/SimpleContainer.php(65):
OC\ServerContainer->query()
#35 /app/www/public/lib/private/Server.php(1490): OC\AppFramework\Utility\
SimpleContainer->get()
#36 /app/www/public/lib/base.php(635): OC\Server->boot()
#37 /app/www/public/lib/base.php(1196): OC::init()
#38 /app/www/public/cron.php(43): require_once('...')
#39 {main}
s6-linux-init-shutdown: fatal: unable to talk to shutdownd: Operation not
permitted
[migrations] started
[migrations] 01-nginx-site-confs-default: skipped
[migrations] 02-default-location: skipped
[migrations] done
usermod: no changes
```






Brought to you by linuxserver.io

To support LSI O projects visit:
<https://www.linuxserver.io/donate/>

GID/UID

User UID: 1000
User GID: 1000

```
using keys found in /config/keys
After completing the web-based installer, restart the Nextcloud container to
apply default memory caching and transactional file locking configurations.
Alternatively, you can apply your own configurations by editing
/config/www/nextcloud/config/config.php following the documentation:
https://docs.nextcloud.com/server/latest/admin_manual/configuration_server/
caching_configuration.html
https://docs.nextcloud.com/server/latest/admin_manual/configuration_files/
files_locking_transactional.html
[custom-init] No custom files found, skipping...
[ls.io-init] done.
[migrations] started
[migrations] 01-nginx-site-confs-default: skipped
[migrations] 02-default-location: skipped
[migrations] done
usermod: no changes
```



Brought to you by linuxserver.io

To support LSI O projects visit:
<https://www.linuxserver.io/donate/>

GID/UID

User UID: 1000
User GID: 1000

```
using keys found in /config/keys
After completing the web-based installer, restart the Nextcloud container to
apply default memory caching and transactional file locking configurations.
Alternatively, you can apply your own configurations by editing
/config/www/nextcloud/config/config.php following the documentation:
https://docs.nextcloud.com/server/latest/admin_manual/configuration_server/
caching_configuration.html
https://docs.nextcloud.com/server/latest/admin_manual/configuration_files/
files_locking_transactional.html
[custom-init] No custom files found, skipping...
[ls.io-init] done.
```